







Pure productivity

Dell 24 Monitor | P2423D Dell 27 Monitor | P2723D

The world's # 1 monitor company*

Pure productivity Pure producti

Experience productivity, power and comfort with these QHD resolution monitors.

See more details, get more done

Experience your more details and clarity in you work. These 23.8" and 27" monitors with 2560 x 1440 QHD resolution enable you to multitask efficiently by displaying multiple applications.

Stay connected in any workspace

Connect to your devices and streamline your workspaces with display port, HDMI, and quick access SuperSpeed 5Gbps USB ports. Reduce cable clutter and keep your workspace neat with a the cable management system that hides cords in the monitor riser.

Uncompromised color and comfort

Optimize eye comfort with ComfortView Plus, a built-in low blue light screen that reduces harmful blue light emissions without sacrificing color. Easy-to-use with full adjustability for better comfort all day.

See and accomplish more

Enhance work efficiency with QHD (2560 x 1440) resolution on a 23.8" or 27" monitor.

Color consistency comes standard

See consistent, vibrant colors across a wide viewing angle enabled by In-Plane Switching (IPS) technology. With 99% sRGB coverage, you get precise colors right out of the box.

Extensive connectivity

Easily connect to a variety of devices with extensive connectivity ports, including display port, HDMI, and quick access SuperSpeed 5Gbps USB ports.

Functional design

Features 3-sided ultrathin bezel design, a small base and improved cable management for a clutter free desk at your home or at your office.



Optimize eye comfort with built-in **ComfortView Plus** that reduces harmful blue light emissions without sacrificing color performance.

Adjust to your comfort Tilt, swivel, pivot, and height adjustable (150mm max)

Environmental standardsENERGY STAR®, TCO Certified
Edge, EPEAT® Gold registered

Easy-to-use joystick controlTo navigate through the OnScreen Display (OSD) menu

Designed for you

These sleek monitors feature a small base and cable management design that hides cables in the monitor riser, for a clutter-free desk space at your office or home office.





Easy-to-use

Navigate the on-screen menu and adjust settings with the easy-to-use joystick control.

Designed with purpose

The small base and elegant cable management system hide cords within the monitor riser.

Work comfortably

Experience made-for-you comfort by tilting, pivoting, swiveling, and adjusting the height of your monitor (150mm max).



Dell Display Manager



Productive at every level

Easy Arrange allows you to easily tile multiple applications across one or more screens with 38 pre-set window partitions and the ability to personalize up to five windows, giving you improved multitasking abilities.

The key to convenience


Shortcut keys can save you even more time, letting you easily configure your display management settings so you can get to work faster.

Seamless transitions

The auto-restore feature remembers where you left off, so applications will go back to where you left them, even after you've unplugged.

More ways to manage

Asset management reports allow IT managers to quickly capture and track monitor information as well as configure multiple monitors at once through a single setup.



Recommended Accessories



Dell Single Monitor Arm | MSA20

Enjoy a virtually tool-free assembly and easy installation with this Dell Single Monitor Arm – MSA20. Dell Quick Release lets you snap on the Dell P Series monitor onto the arm simply without tools.



Dell Pro Wireless Headset | WL5022

Enjoy wireless freedom away from your PC with this Teams certified headset that offers convenient call controls. Switch seamlessly across your PC, tablet or smartphone and enjoy superior audio clarity on the go.



Dell Premier Multi-Device Wireless Keyboard and Mouse | KM7321W

Multitask seamlessly across three devices with this premium full-sized keyboard and sculpted mouse combo with programmable shortcuts and 36-month battery life.¹

Based on Dell analysis of battery life usage model calculations, Nov. 2020. Results vary depending on use, operating conditions and other factors.





Sustainability on Dell Monitors

Environmental standards

This monitor is made of 85% postconsumer recyclable plastic in the design¹ and meets the latest environmental standards such as ENERGY STAR®, and TCO Certified Edge, and is EPEAT® Gold² registered.

Eco-conscious packaging


Designed with the environment in mind, Dell commercial monitors come in 100% recyclable cardboard packaging³

Energy conservation

Save energy when your monitor is not in use with PowerNap⁴, a feature that dims or puts your monitor to sleep when it's not in use.

- 1 By weight of the total weight of plastic parts in product. Excludes printed circuit boards, labels, cables, connectors, electronic components, optical components, ESD components, EMI components adhesives, and coatings.
- 2 EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.
- The outer box/corrugate cushion packaging and recycled fibers in Dell commercial monitor packaging (excluding D-series) are made from corrugate and virgin cardboard materials. Excludes foam cushioning and plastic bags.
- 4 Enabled by Dell Display Manager

Ports & Slots



- 1 Security lock slot¹
- 2 Power connector
- **3** HDMI port
- 4 DisplayPort
- 5 USB 3.2 Gen1 Upstream port
- 6 SuperSpeed USB 5Gbps (USB 3.2 Gen1) Type-A Downstream port (4)
- **7** Stand lock

| FEATURE | TECHNICAL SPECIFICATION | TECHNICAL SPECIFICATION |
|---|--|--|
| MONITOR | Dell 24 Monitor – P2423D | Dell 27 Monitor – P2723D |
| DIAGONAL VIEWING SIZE | 604.50 mm (23.80 inches) | 684.70 mm (26.96 inches) |
| PRESET DISPLAY AREA (H X V) | 526.85 mm x 296.35 mm (20.74 in. x 11.67 in.) | 596.74 mm x 335.66 mm (23.49 in. x 13.21 in.) |
| MAXIMUM PRESET RESOLUTION | 2560 x 1440 at 60 Hz | 2560 x 1440 at 60 Hz |
| ASPECT RATIO | 16:9 | 16:9 |
| PIXEL PITCH | 0.2058 mm x 0.2058 mm | 0.2331 mm x 0.2331 mm |
| PIXEL PER INCH (PPI) | 123 | 109 |
| BRIGHTNESS | 300 cd/m² (typical) | 350 cd/m² (typical) |
| COLOR SUPPORT | Color gamut: sRGB 99% (typical) Color depth: 16.7 Million | Color gamut: sRGB 99% (typical) Color depth: 16.7 Million |
| CONTRAST RATIO | 1000:1 (typical) | 1000:1 (typical) |
| VIEWING ANGLE | 178°/178° | 178°/178° |
| RESPONSE TIME | 5 ms (Fast mode), 8 ms (Normal mode) | 5 ms (Fast mode), 8 ms (Normal mode) |
| PANEL TYPE | In-Plane Switching Technology | In-Plane Switching Technology |
| DISPLAY SCREEN COATING | Anti-Glare Anti-Glare | Anti-Glare |
| BACKLIGHT TECHNOLOGY | White LED edgelight system | White LED edgelight system |
| COMFORTVIEW PLUS WITH FLICKER-FREE SCREEN | Yes | Yes |
| DELL DISPLAY MANAGER COMPATIBILITY | Yes | Yes |
| REMOTE ASSET MANAGEMENT | Yes, via Dell Command I Monitor | Yes, via Dell Command I Monitor |
| GSA/TAA | No | No |
| OPTIONAL SOUNDBAR | SB521A or SB522A | SB521A or SB522A |
| CONNECTORS | 1 x HDMI 1.4 (HDCP 1.4) 1 x DisplayPort 1.2 (HDCP 1.4) 1 x USB 3.2 Gen1 upstream 4 x SuperSpeed USB 5Gbps (USB 3.2 Gen1) downstream | 1 x HDMI 1.4 (HDCP 1.4) 1 x DisplayPort 1.2 (HDCP 1.4) 1 x USB 3.2 Gen1 upstream 4 x SuperSpeed USB 5Gbps (USB 3.2 Gen1) downstream |
| HDCP SUPPORT | HDMI HDCP 1.4, DP HDCP 1.4 | HDMI HDCP 1.4, DP HDCP 1.4 |
| ADJUSTABILITY | Height adjustable (150 mm) Tilt (-5° to 21°) Swivel (-45° to 45°) Pivot (-90° to 90°) | Height adjustable (150 mm) Tilt (-5° to 21°) Swivel (-45° to 45°) Pivot (-90° to 90°) |
| SECURITY | Security lock slot (cable lock sold separately) | Security lock slot (cable lock sold separately) |
| FLAT PANEL MOUNT INTERFACE | VESA (100 mm) | VESA (100 mm) |
| AC INPUT VOLTAGE/ FREQUENCY/ CURRENT | 100 VAC to 240 VAC / 50 Hz or 60 Hz ± 3 Hz / 1.5 A (typical) | 100 VAC to 240 VAC / 50 Hz or 60 Hz ± 3 Hz / 1.5 A (typical) |
| ENERGY EFFICIENCY CLASS (A TO G SCALE) | A E | A E |
| POWER CONSUMPTION (OPERATIONAL) | 0.3 W (Off mode) ¹ 0.3 W (Standby Mode) ¹ 16 W (On Mode) ¹ 55 W (Max.) ² | 0.3 W (Off mode) ¹ 0.3 W (Standby Mode) ¹ 21 W (On Mode) ¹ 55 W (Max.) ² |
| POWER CONSUMPTION STAND BY/SLEEP | Less than 0.3W | Less than 0.3W |

As defined in EU 2019/2021 and EU 2019/2013.
 Max brightness and contrast setting with maximum power loading on all USB



| FEATURE | TECHNICAL SPECIFICATION | TECHNICAL SPECIFICATION |
|---|---|--|
| MONITOR | Dell 24 Monitor - P2423D | Dell 27 Monitor – P2723D |
| HEIGHT WITH STAND | 496.11 mm (19.53 in.) | 535.20 mm (21.07 in.) |
| WIDTH WITH STAND | 537.80 mm (21.17 in.) | 611.60 mm (24.08 in.) |
| DEPTH WITH STAND | 179.57 mm (7.07 in.) | 190.10 mm (7.48 in.) |
| WEIGHT (PANEL ONLY - FOR VESA MOUNT/ NO CABLES) | 3.44 kg (7.58 lb) | 4.54 kg (10.01 lb) |
| WEIGHT (MONITOR AND CABLES WITH STAND) | 5.45 kg (12.02 lb) | 6.76 kg (14.90 lb) |
| WEIGHT (WITH PACKAGING) | 7.44 kg (16.40 lb) | 9.20 kg (20.28 lb) |
| STANDARD SERVICE PLAN | 3 Years Advanced Exchange Service and Limited Hardware Warranty | 3 Years Advanced Exchange Service and Limited Hardware Warranty |
| OPTIONAL SERVICE PLAN | Dell ProSupport | Dell ProSupport |
| ENVIRONMENTAL COMPLIANCE | ENERGY STAR® certified monitor. EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country. ROHS-compliant TCO Certified & TCO Certified Edge BFR/PVC free monitor (excluding external cables) Meets NFPA 99 leakage current requirements Arsenic-free glass and Mercury-free for the panel only | ENERGY STAR® certified monitor EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country. ROHS-compliant TCO Certified & TCO Certified Edge. BFR/PVC free monitor (excluding external cables) Meets NFPA 99 leakage current requirements Arsenic-free glass and Mercury-free for the panel only |
| WHAT'S INCLUDED | Monitor with stand 1 x Power cable 1 x DisplayPort to DisplayPort cable (1.8 m) 1 x SuperSpeed USB 5Gbps (USB 3.2 Gen1) Type-A to Type-B upstream cable (enables the USB ports on the monitor) Quick Setup Guide Safety and regulatory information | Monitor with stand 1 x Power cable 1 x DisplayPort to DisplayPort cable (1.8 m) 1 x Super speed USB 5Gbps (USB 3.2 Gen1) Type-A to Type-B upstream cable (enables the USB ports on the monitor) Quick Setup Guide Safety and regulatory information |

Steadfast reliability

As the No. 1 monitor company worldwide*, we take pride in our unyielding commitment to quality and the utmost in customer satisfaction.

Premium Panel Exchange


Dell Premium Panel Exchange¹ allows a free monitor replacement during the Limited Hardware Warranty² period even if only one bright pixel is found.

Advanced Exchange Service

This monitor comes with a 3-year Advanced Exchange Service³ so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.²

ProSupport

Upgrade to 24x7 specialized technical phone support with the Dell ProSupport option.⁴



- 1 Applicable to Dell UltraSharp, P Series, and C Series desktop monitors.
- 2 For copy of Ltd Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see https://www.dell.com/warranty
- 3 Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See dell.com/servicecontracts/global.
- 4 Availability varies, please visit www.dell.com/support for details. In some countries, hours for in-region support may vary. Support after local business hours may be provided in a language other than the local language.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2024 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C* and USB-C* are registered trademarks of USB Implementers Forum.

