HP Color LaserJet Pro MFP 4301fdw Printer



Colorful productivity. Seamless set up.

Get a blazing fast color printer and easy management tools with LaserJet Pro.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block • Avoid interruptions with Wi-Fi® that intelligently looks for the most stable connection to stay on-line. 6 cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Highlights

- Fast print speed (33ppm A4)
- HP Wolf Pro security
- Automatic two-sided printing standard
- High monthly duty cycle (50,000 pages)
- Dual-band WiFi®, Bluetooth® LE, WiFi® Direct
- 50 sheet ADF with single-pass, two-sided scanning

Maximum productivity in full color

- Support your business workteam with this compact, high-performing, color printer, ideal for up to 10 users.
- Step up your workflow with blazing fast speed to meet high-demand environments.
- Look professional on every page with high-quality printing, true-to-life colors and sharp details.

Seamless management 3

- Centralize your print management, HP Web Jetadmin easily adds and updates devices and solutions.³
- Set up your printers quickly so you can focus more on your business. Make it easy for your team to set up and get back to what matters.

HP Wolf Pro Security

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Strengthen and simplify compliance. This upgrade applies your enterprise policies across the fleet.

Sustainable printing 4,12,13

- Redesigned Original HP TerraJet Cartridge for reduced plastic use and energy consumption when printing. 12,13
- Trim your paper use. Default duplex setting prints on both sides of each page.
- Meet the industry standard for efficiency with Energy Star® rating.
- Reduce your footprint. HP Auto-On/Auto-Off technology optimizes printer energy usage and costs.

Product walkaround

HP Color LaserJet Pro MFP 4301fdw

- 1. Automatic 2-sided printing
- 2. Dual-band WIFI® with self heal, USB and Ethernet
- 3. HP Smart app for productivity in your hand
- 4. Designed for workteams of up to 10 users
- 5. Print speeds up to 35 ppm letter/33 ppm A4, 300-sheet standard paper capacity
- 6. 4.3-inch color touchscreen
- 7. Pre-configured security settings
- 8. Walk-up USB print and scan
- 9. More true-to-life colors with HP TerraJet Toner



Accessories, Supplies and Support

Supplies	W2100A HP 210A Black Original Laser Jet Toner Cartridge (~ 2,000 pages) W2101A HP 210A Cyan Original Laser Jet Toner Cartridge (~1,800) pages W2102A HP 210A Vellow Original Laser Jet Toner Cartridge (~1,800 pages) W2103A HP 210A Magenta Original Laser Jet Toner Cartridge (~1,800 pages) W2100X HP 210X Black Original Laser Jet Toner Cartridge (~5,500 pages) W2101X HP 210X Cyan Original Laser Jet Toner Cartridge (~5,500 pages) W2101X HP 210X YellowOriginal Laser Jet Toner Cartridge (~5,500 pages) W2103X HP 210X Magenta Original Laser Jet Toner Cartridge (~5,500 pages) W2103X HP 210X Magenta Original Laser Jet Toner Cartridge (~5,500 pages) W2151XC HP Plack Contract Laser Jet Toner Cartridge (~5,500 pages) W2151XC HP Vellow Contract Laser Jet Toner Cartridge (~5,500 pages) W2153XC HP Yellow Contract Laser Jet Toner Cartridge (~5,500 pages) W2153XC HP Magenta Contract Laser Jet Toner Cartridge (~5,500 pages)
Accessories	28N93A HP Color Laser Jet Pro 550 Sheet Paper Tray
Service and Support	U51Z0E HP 2 year Next Business Day Onsite Service for Color LaserJet Pro MFP 430x U51Z1E HP 3 year Next Business Day Onsite Service for Color LaserJet Pro MFP 430x U51Z2E HP 4 year Next Business Day Onsite Service for Color LaserJet Pro MFP 430x U51Z3E HP 5 year Next Business Day Onsite Service for Color LaserJet Pro MFP 430x U51Z4E HP 2 year 4 hour 9x5 Onsite Service for Color LaserJet Pro MFP 430x U51Z5E HP 3 year 4 hour 9x5 Onsite Service for Color LaserJet Pro MFP 430x U51Z5E HP 3 year 4 hour 9x5 Onsite Service for Color LaserJet Pro MFP 430x U51Z6E HP 4 year 4 hour 9x5 Onsite Service for Color LaserJet Pro MFP 430x U51Z7E HP 5 year 4 hour 9x5 Onsite Service for Color LaserJet Pro MFP 430x U51Z8E HP 3 year Channel Parts Exchange Service for Color LaserJet Pro MFP 430x U51Z8E HP 3 year Channel Parts Exchange Service for Color LaserJet Pro MFP 430x U51Z6E HP 1 year Post Warranty Next Business Day Onsite Service for Color LaserJet Pro MFP 430x U51ZDFE HP 1 year Post Warranty Next Business Day Onsite Service for Color LaserJet Pro MFP 430x U51ZDFE HP 1 year Post Warranty 4 hour 9x5 Onsite Service for Color LaserJet Pro MFP 430x U51ZFPE HP 1 year Post Warranty 4 hour 9x5 Onsite Service for Color LaserJet Pro MFP 430x U51ZFPE HP 1 year Post Warranty Channel Parts Exchange Service for Color LaserJet Pro MFP 430x U51ZFPE HP 1 year Post Warranty Channel Parts Exchange Service for Color LaserJet Pro MFP 430x U51ZFPE HP 1 year Post Warranty Channel Parts Exchange Service for Color LaserJet Pro MFP 430x U51ZFPE HP 1 year Post Warranty Channel Parts Exchange Service for Color LaserJet Pro MFP 430x U51ZFPE HP 1 year Post Warranty Channel Parts Exchange Service for Color LaserJet Pro MFP 430x U51ZFPE HP 1 year Post Warranty Channel Parts Exchange Service for Color LaserJet Pro MFP 430x

Technical specifications

recrimical speci	medion5
Model	HP Color LaserJet Pro MFP 4301fdw Printer
Product number	4RAB2F
Functions	Print, copy, scan, fax
Control panel	4.3" Capacitive touchscreen (all input functions)
Print Print technology	Luc
	Laser Black (NA, normal): Un to 33 ppm Colour (NA, normal): Un to 33 ppm : Black (NA, duplex): Un to 29 ipm Colour (NA, duplex): Un to 29 ipm
Print speed First page out	Black (A4, ready): As fast as 9.5 sec Colour (A4, ready): As fast as 10.5 sec; Black (I4, sleep): As fast as 10.5 sec
Print resolution	boto ver, receipt, vis. and as 3 set. Count ver, receipt, vis. and as 3 set. Count ver, vertex vis. and as 3 set. Count vertex vis. As 3 set. Coun
Monthly duty cycle ⁷	bases between the property of the control of the co
Printer smart software features	Automatic duplex, collation, watermarks, printable forms, quiet mode, HP premium print mode, accepts a variety of paper sizes and types
Standard print languages	HP PCL 6, HP PCL 5e, HP Postscript level 3 emulation, PDF, URF, PWG Raster, Native Office
Fonts and typefaces	111 scalable TrueType fronts
Print area	Print margins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm, Maximum print area: 212 x 352 mm
Duplex printing	Automatic
Сору	
Copy speed	Black (A4): Up to 33 cpm; Colour (A4): Up to 33 cpm
Copier specifications	1D Copy, Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Save Current Settings; Restore Factory Defaults; Quality (Draft/Standard/Ress); Madmum number of copies; Reduce/Indiance 25 to 400%.
Scan	readed and get 12 or 100 or
Scan speed	Normal (A4): Up to 29 ppm, up to 26 ppm, Ouplex (A4): Up to 44 pm (b8w), up to 35 ipm (color)
Scan file format	PDE, PG, TIF
Scanner specifications	Scanner type Flatbed, ADF, Scan technology. Contact Image Sensor (CIS), Scan input modes: Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA; Twain version: Version 2.3; Duplex ADF scanning: Yes, Optical scan resolution: Up to 600 dpl
Recommended monthly scan volume	75010 4000
Scannable area	Maximum media size (flatbed): 216 x 297 mm; Minimum media size (ADF): 102 x 152 mm Maximum media size (ADF): 216 x 356 mm
Bit depth/ Grey scale levels	30-bit / 256
Fax	
Fax	Yes, 33.6 kbps
Fax specifications	Fax memory: Up to 500 pages, Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 100 numbers
Processor speed	1200 MHz
Connectivity	100 cm to the book to the book of the filter of the
Mobile printing capability	HP Smart App; Apple AirPrint**, Mobile Apps; Mopria** Certified; Wi-Fi* Direct Printing TCPIR [Pv4, [Pv6; Print: TCP-IP port 9100 Direct Mode, IPD (raw queue support only), Web Services Printing, Apple AirPrint**, Mopria, IPP Print; Discovery; SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (DHCP, AutoilP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via
Supported network protocols Network capabilities	Ves, via built-in 10/100/10008ase-Tx Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.11; 802.11ac (Wi-Fi 5)
Network capabilities	Yes, via built-in 10/100/1000Base-ix Emernet, sigabit, Auto-crossover Emernet, Authentication via 802.1X; 802.11ac (WI-FI 5)
Memory	Standard: C12 MD MAND Elach, C12 MD DDAM -Mavimum: C12 MD DDAM
Memory Media handling	Standard: \$12 MB NAND Flash, \$12 MB DRAM, Maximum: \$12 MB NAND Flash, \$12 MB DRAM
Media handling	Standard: 512 MB NAND Flash, 512 MB DRAM, Maximum: 512 MB NAND Flash, 512 MB DRAM Standard: 2: Maximum: 3
Media handling Number of paper trays	Standard 2: Maximum: 3
Media handling	
Media handling Number of paper trays Media types	Standard: 2: Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
Media handling Number of paper trays Media types Media size	Standard 2: Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm
Media handling Number of paper trays Media types Media size Media handling	Standard: 2: Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional S50-sheet tray
Media handling Number of paper trays Media types Media size Media size Media handling Media weight Input capacity Output capacity	Standard: 2: Maximum: 3 Paper (bond, brothure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, roughly, postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 1.27 to 2.16 x 356 mm; Tray 2: 58 x 1.48 mm to 216 x 356 mm; Optional Tray 3: 100 x 1.48 to 216 x 356 mm; Duplex (all trays): 1.48 x 1.48 mm to 216 x 356 mm; ADF: Letter; Legal; A4; custom sizes 102 x 1.52 to 216 x 356 mm Standard input: Optional input: Optional input: Optional input: Optional input: Optional is 50-sheet tray 610 to 163 giff (up to 176 giff) epostcards, up to 20 giff* IPP Color issee glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: Maximum: Up to 150 sheets
Media handling Number of paper trays Media types Media size Media size Media handling Media weight Input capacity Output capacity Compatible operating systems	Standard: 2: Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to
Media handling Number of paper trays Media types Media size Media size Media handling Media weight Input capacity Output capacity	Standard: 2: Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; 2: 98 x 148 mm to 216 x 356 mm; cupilex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216
Media handling Number of paper trays Media types Media size Media size Media size Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Standard: 2: Maximum: 3 Paper (bond, brothure, cloriend, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, roughly, postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 1.27 to 2.16 x 356 mm; Tray 2: 58 x 1.48 mm to 2.16 x 356 mm; optional Tray 3: 100 x 1.48 to 2.16 x 356 mm; Duplex (all trays): 1.48 x 1.48 mm to 2.16 x 356 mm; ADF: Letter; Legal; A4; custom sizes 102 x 1.52 to 2.16 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 610 to 163 giff (up to 176 giff postcards, up to 200 giff* IPP Color lase glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: Maximum: Up to 150 sheets Windows 11; Windows 12; Windows Client OS, Android; IOS, Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citric, Chrome OS SAP, Novell; UNIX; Citric, Linux; Windows Server Windows 2: GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;
Media handling Number of paper trays Media types Media size Media size Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Standard: 2: Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipur-pose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 60 to 163 g/m² (up to 176 g/m²) postcards, up to 200 g/m² PP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 505; envelo
Media handling Number of paper trays Media types Media size Media size Media size Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Standard: 2: Maximum: 3 Paper (bond, brothure, cloriend, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, roughly, postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 1.27 to 2.16 x 356 mm; Tray 2: 58 x 1.48 mm to 2.16 x 356 mm; optional Tray 3: 100 x 1.48 to 2.16 x 356 mm; Duplex (all trays): 1.48 x 1.48 mm to 2.16 x 356 mm; ADF: Letter; Legal; A4; custom sizes 102 x 1.52 to 2.16 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 610 to 163 giff (up to 176 giff postcards, up to 200 giff* IPP Color lase glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: Maximum: Up to 150 sheets Windows 11; Windows 12; Windows Client OS, Android; IOS, Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citric, Chrome OS SAP, Novell; UNIX; Citric, Linux; Windows Server Windows 2: GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;
Media handling Number of paper trays Media types Media size Media size Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Standard: 2: Maximum: 3 Paper Bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Singliec: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray 60 to 163 glm² (up to 176 glm² postcards, up to 200 glm² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: Morting tray 1: Sheets: 50; envelopes: 10 Tray 3: S
Media handling Number of paper trays Media types Media stypes Media stypes Media stypes Media stypes Media stypes Media stypes Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management	Standard: 2: Maximum: 3 Paper Bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Singliec: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray 60 to 163 glm² (up to 176 glm² postcards, up to 200 glm² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: Morting tray 1: Sheets: 50; envelopes: 10 Tray 3: S
Media handling Number of paper trays Media types Media size Media size Media size Media media Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight	Standard: 2: Maximum: 3 Paper (bond, brochure, cloided, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 1 27 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 610 103 giff (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 505 envelopes: 10 to 20 envelopes: 10 Tray 3: Sheets: 505 envelopes: 10 to 20 envelopes: 10 to 20 envelopes: 10 to 30 sheets Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 12; Windows Client 05; Android; 105; Mobile 05; mac/05 11 Big Sur; mac/05 12 Monterey; Linux; Cliric; Chrome 05 SAP, Novell; UNIX; Cliric; Linux; Windows Server Windows 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com/http://hp
Media handling Number of paper trays Media types Media size Media handling Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H)	Standard: 2: Maximum: 3 Paper floord, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Singlex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex Gall trays): 148 x 148 mm to 216 x 356 mm; ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional S50-sheet tray 60 to 163 glm² (up to 176 glm² postcards, up to 200 glm² HP* Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 505 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 12; Wi
Media handling Number of paper trays Media types Media types Media size Media size Media handling Media weight Input capacity Output capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight	Standard: 2: Maximum: 3 Paper Bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric), Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; captional Tray 3: 100 x 148 to 216 x 356 mm; Duplex fall trays): 148 x 148 mm to 216 x 356 mm; ADF. Letter; Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard funt: 50-sheet multipurpose tray, 250-sheet injunt tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray 60 to 163 glm² (lup to 176 glm² postcards, up to 200 glm² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets: Envelopes: Up to 20 envelopes: Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 10; Windows Sheet (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled SAP, Novell; UNIX; Clirk: Linux: Windows Server Windows 11; Windows 10; Windows Server Windows 12; Windows Server Windows 13; Windows Server Windows 14; Windows Server Windows 16; Windows Server Windows 16; Windows Server Windows 16; Windows Server Windows 16; Windows Server Windows 17; Windows Server Windows 18; Windows Server Windows 19; Windows 19; Windows Server Windows 19; Wind
Media handling Number of paper trays Media types Media types Media size Media size Media handling Media waight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Standard 2, Maximum: 3 Paper Bond, brothure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (mercits) Sengles: Tray 1: 76.2 × 127 to 216 × 356 mm; Tray 2: 98 × 148 mm to 216 × 356 mm; optional Tray 3: 100 × 148 to 216 × 356 mm; Duplex (bill trays): 148 × 148 mm to 216 × 356 mm ADP: Letter; Legal; A4; custom sizes 102 × 152 to 216 × 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADP) Standard output: 150-sheet output bin Optional Sp0-sheet tray 60 to 163 g/m² lup to 176 g/m² postcards, up to 200 g/m² MP Color laser glossy photo papers) Tray 1: Sheets: S0; envelopes: S Tray 2: Sheets: 250; envelopes: Tray 3: Sheets: 250; envelopes: Tray 3: Sheets: S0; envelopes: S Tray 2: Sheets: 250; envelopes: Maximum: Up to 150 sheets (with Optional 550-sheet tray) ADP: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: Moximum: Up to 150 sheets Windows 11; Windows 10; Windows 10; Windows (Sient Osc Android), SM politic Osc, mac/S 10:15 Catalians; mac/S 11 Big Sur; mac/S 12 Monterey; Linux; Citrix; Chrome OS SAP, Novell; LiNux; Citrix; Linux; Windows Server Windows 2: GB available hard disk space, Internet cornection or USB port, internet browser. For additional OS hardware requirements see microsoft.com; Mac 2: GB available hard disk space, internet cornection or USB port, internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://np.com htt
Media handling Number of paper trays Media types Media types Media handling Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	Standard: 2: Maximum: 3 Paper Bond, brochure, coloried, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, roughly, postcards, labels, envelopes Custom (metric): Singlecc Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250, envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 200 g/m² HP Color laser glossy photo papers) Windows 11; Windows 10; Windows Client OS; Android; IOS, Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterery; Linux; Citric Chrome OS SAP, Novell; UNIX; Citric Linux; Windows Server Windows 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard dive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://10.23.hp.com; MP Web NetAndard Software Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) —20.4 kg Temperature: -20 to 40°C
Media handling Number of paper trays Media types Media types Media handling Media handling Media handling Media handling Media handling Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics ⁶	Sandard 2: Maximum: 3 Paper Bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom frendfo: Simplex Tray 1: 76.2 x 127 to 216 x 356 mm. Tray 2: 99 x 148 mm to 216 x 356 mm; captional Tray 3: 100 x 148 to 216 x 356 mm; Duplex fall tray. 1: 148 x 148 mm to 216 x 356 mm ADF Letter, Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Sandard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Sandard output: 150-sheet output bin Optional Input: Optional S50-sheet tray 801 to 183 glm² (up to 176 glm² postcards, up to 200 glm² HP Color laser glossy photo paper) Tray 1: Sheets: 50; envelopes: 51 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550; envelopes: 10 Tray 3: Sheets: 550; envelopes: 51 Tray 3: Sheets: 550; envel
Media handling Number of paper trays Media types Media types Media handling Media handling Media handling Media handling Media handling Media handling Media weight Imput capacity Compatible operating systems Compatible operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics ⁶ Power ⁵	Standard 2: Maximum: 3 Paper Bond, brothure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postards, labels, envelopes Coston (insertio): Simplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 99 x 1 48 mm to 216 x 356 mm; Optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex fall trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal: A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50 -Sheet multipurpose tray, 250 -Sheet input tray, 50 -sheet Automatic Document Feeder (ADF) Standard output: 150 -sheet output bin Optional Psput: Optional S50-sheet tray Standard: plug 10 176 glm* log to 176 glm* postards, up to 200 glm* left Color laser glossy photo papers) Tray 1: Sheets S0; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 350 sheets (with Optional 550-sheet tray) ADF. Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 150 sheets Windows 11: Windows 10; Windows Client OS, Android: OS, Mobile OS, maxOS 10.15 Catalina; maxOS 11 Big Sur; maxOS 12 Manteney; Linux; Citrix Chrome OS SAP, Novell; UNIX; Citrix; Linux; Windows So; Hermet Connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mar 2 GB available hard disk gape. Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mos software solutions are included in the Box only on http://fig. connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; He Web Jerdarin Software, Security Manage; HP SNMP Proxy Agent (Part of HP Web Jerdarini), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver Deployment Utility - Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Manage; HP SNMP Proxy Agent (Part of HP Web Jerdarini), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver
Media handling Number of paper trays Media types Media types Media bytes Media size Media size Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics ⁶ Power ⁵ Energy savings feature technology	Sandord 2: Makimum 3 Specific found throchuse, colored, glossy, letterhead, photo, plain, preprinted, prepayment, excelled, roughly, postands, babets, envelopes Costom (metric): Singles, Triy 1: 76.2 x 127 to 216 x 356 mm, Tay 2: 59a x 148 mm to 216 x 356 mm, Copy 2: 59a x 148 mm to 216 x 356 mm, Tay 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm, Day 2: 59a x 148 mm to 216 x 356 mm ADF Letter, Legal, A4, custom-sizes 102 x 152 to 216 x 356 mm Tray 1: 59a x 150 x 1
Media handling Number of paper trays Media types Media types Media handling Media handling Media handling Media handling Media veight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics* Power Energy savings feature technology Certifications	Sandard 2, Maximum 3 Specification 2, Maximum 3 Specification 2, Maximum 3 Specification 2, Maximum 3 Specification 2, Maximum 42 Specification (Maximum 42) Specifi
Media handling Number of paper trays Media types Media types Media types Media handling Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power 5 Energy savings feature technology Certifications Sustainable impact specifications	Sandard 2, Modernum 3 Space Boards brownare, colored, glossy, letterhead, photo, plain, preprinted, preparched, recycled, roughl, postcards, labels, envelopes Gustom friend? Striples: Top 1, Tile 2, 127 to 216 x 356 mm, 25 89 x 148 mm to 216 x 356 mm, coptional flow, 2 100 x 148 to 216 x 356 mm boards (appear) 148 x 148 mm to 216 x 356 mm APE Letters Legist AR; custom sizes 102 x 152 to 216 x 356 mm Sandard Tap to 15 79 pml postcards, up to 200 girlin Vill Critic lesser glossy photo paperal Top 1, Tile Period St. O envelopes 5. Tile 7 pml postcards, up to 200 girlin Vill Critic lesser glossy photo paperal Top 1, Tile Period St. O envelopes 5. Tile 7 pm. 2 photos. 256 pm. energies 107 to 79. 39 photos. 550 sheets to 178 years 100 pml postcards. Top 1, Tile Period St. O envelopes 5. Tile 7 pm. 2 photos. 256 pml postcards. 256 pml pos
Media handling Number of paper trays Media types Media types Media handling Minimum systems Mini	Sandard 2, Maderum 3 Specifical Discharge Closed glossy, letterhoad, photo, plain, preprinted, preputited, recycled risight, postcards, labels, envelopes Date and the Control of Control

Footnotes

- ¹ Requires HP app download available at www.hp.com/go/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com.
- ² Requires use of Smart Admin Dashboard for printer setup and onboarding of users.
- ³ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- 4 HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See hp.com/ecosmart
- ⁵ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
- 6 Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Supports both 5.0 GHz and 2.4 GHz using up to 112 non-overlapping channels vs. only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) v. 2.4 GHz band (up to 72.2 mbps). Learn more at: www.hp.com/go/mobileprinting.
- ⁷ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.
- 12 Plastic reduction calculated per page based on cartridge weight in grams and stated yield in HP Terralet Cartridges compared to predecessors. See hp.com/TerraJetplasticreductions.
- 13 HP calculations based on Energy Star® normalized TEC data in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJetenergysaving.
- 14 Standard print mode for HP Color Laser Jet Pro series with HP TerraJet technology compared to predecessors. See hp.com/TerraJetcolors.

Technical specifications disclaimers

- ¹ For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.
- ² Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield
- ³ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- ⁴ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). Blue Angel TEC based on 230V test result; ENERGY STAR TEC data based on 115V test result.
- ⁵ Values based on 115V test results based on ES test method.
- $^{\rm 6}$ Configuration tested: base model, simplex printing, A4 paper at an average of 33 ppm.
- ⁷ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.













The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or entire or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

